

Renault DUSTER





Rediscover the joy of driving

The new Renault Duster comes with a new front exterior design combined with enhanced interior comfort and practicality. In addition, a range of advanced technological features have been included to deliver the highest level of satisfaction during every single journey. Renault Duster has been widely upgraded while retaining its very own model personality.



Assertive **look**

The new Renault Duster features a new front-end with a redesigned grille, two chrome plated strips and new air intake. The double-optic front headlamps including daytime running lights enhance its unique character.




Modern **interior**

More modern and ergonomic, the interior of the new Duster is adapted to suit its occupants and includes various new elements such as front electric windows with driver's one touch control, speed sensitive door locking, ISOFIX mounting points for child seat, but also two new accessible storages on the dashboard and a new instrument panel design.









Topnotch **technology**

The New Duster provides advanced technology. The rearview camera enables you to detect and avoid potential obstacles. Also, with the cruise control / speed limiter, mastering and modulating the speed of your car has never been so easy. The new Media Nav 2.0 multimedia system gives easy access to highly practical features thanks to its 7" touch screen: 2D or 3D navigation, audio streaming, hands-free Bluetooth.

Optimized control & safety

New Renault Duster provides plenty of safety features: ESP (Electronic Stability Program), ABS (Antilock Braking System), Tyre Pressure Monitoring, ISOFIX for child seat, equipped with front driver and passenger airbags, driver seatbelt unlock alarm, three points rear seatbelts, three rear headrests, in addition to a central locking system (...)



Robust **design**

Wide wings and a tall stature reveal its personality: the Renault Duster is suitable for in-town, motorway and track driving. Its upgraded front-end and its powerfull design are a reflection of its sturdiness. An Imposing look with an elegant style, feel confident with Renault Duster.









Creative workshop

PE



Air conditionning



PE EQUIPMENT

Two rear headrests
Front driver & passenger airbags
Antilocking Braking System (ABS)
Emergency braking assistance
Driver seatbelt unlock alarm
Electronic Stability Program (ESP)
3 points rear seatbelts
Speed sensitive door locking
Tyre pressure monitoring
ISOFIX mounting points
Visual speeding alarm
Defrosting rear window
Fog lights

Smoker accessories

Bulb daytime running lights
Radio Arkamys 3D Sound + CD/MP3/USB
+ Bluetooth & steering wheel control
Power steering
Front electric windows
Cruise control / Speed limiter
Trunk carpet
Inside fuel flap opening
Longitudinal roof bars
Normal size spare wheel
16" steel wheels
Beige upholstery

OPTIONS

3 height-adjustable rear headrests Front floor mat + rear rubber mat

Modularity pack: height adjustable front seatbelts + height adjustable driver seat + 1/3-2/3 foldable benchseat

+ height adjustable steering wheel

Creative workshop

SE





SE EQUIPMENT = PE + ...

Three rear headrests
Height adjustable front seatbelts
Electric door mirrors
Trip computer
Rear electric windows
Front electric windows
with driver's one touch control
Leather steering wheel
Height adjustable steering wheel
Height adjustable driver seat
1/3 - 2/3 foldable rear benchseat
Body coloured bumpers
Chrome exhaust pipe finisher

Chrome roof bars
Chrome door mirrors
Chrome front + rear side skirts
and skid plates
16" alloy wheels

OPTIONS

Rear parking sensors Front floor mat + rear rubber mat Dark leather seats

Pack LE: Media Nav 2.0 navigation system

- + radio with integrated screen
- + rearview camera

Freewheel

	2.0 16V 4x2
Searbox type	4-speed automatic
Emission control level	Euro 4
Number of seats	5
NGINE	
ingine type	F4R 4 12
apacity (cm3)	1998
lore x Stroke (mm)	82.7×93
lumber of cylinders/valves	4 in-line/16
iompression ratio	11.05
leak power (hp)	135
eak power (rip) leak power rating (rpm)	5.750
eak power laung (ipin) leaktorque Nm CEE (Nm)	195
Peak torque rating (rpm)	4,000
ype of injection	Sequential multi-point
uel	Petrol
ngine air supply	Normally aspirated
EARBOX	
earbox type/index	DP2
lumber of forward gears	4
peed at 1,000 rpm in 1st/2nd/3rd/4th gear TEERING	10.27/18.67/27.98/39.37
fanual/power steering (type)	Power-assisted (hydraulic)
urning circle between pavements / walls (m)	10.44/10.76
lumber of steering wheel turns	3.3
XLES	
ront axle type	MacPherson type with rectangular lower arm and anti-roll bar
lear axle type	Flexible axle with programmed deflection suspension and spiral springs
WHEELS AND TYRES	Totale date with programmed deflection 303pc13/01/did sprint sprints
Verence wheel rims	65.116
Reference tyres	215/65 R 16 M+S
BRAKING	213/03/(10145)
Braking circuit type	Х
BS Bosch 8.1	Standard
BA (Emergency Braking Assistance)	linked to ABS
BD (Electronic Brake Distribution)	linked to ABS
ooster: single (S), double (D) - dia. (")	S- 10 inches
ront: ventilated discs (VD), dia. (mm)/thickness (mm)	VD 280/24
lear: Drum (D)/dia. (inches)	D-9 inches
ERFORMANCE	
op speed (km/h)	173
- 100 km/h (s)	10.4
00 m stopping distance (s)	17.6
,000m stopping distance (s)	32.5
ONSUMPTIONS AND EMISSIONS (in I/100 km and g/km)	
O² (g/km)	193
Irban cycle (cold start- I / 100km)	10.6
xtra-urban cycle (I / 100 km)	6.6
ull cycle (I / 100 km)	8.2
APACITY	
uel tank (litres)	50
VEIGHT (kg)	
erb weight (kg)	1,260
erb weight on front/rear (kg)	797/463
VW (Gross Vehicle Weight) (kg)	1,810
tax payload (kg)	550
rioss train weight (GTW)	3,010
Max. braked (within the GTW limit)/unbraked trailer (kg)	1,200/665
gas, praken ovirnin roe of W. Ilmir/Unitaken frailer (kn)	1/00/003

Chromo zone





Dimensions

во	OT CAPACITY (DM3)	
To top of rear seatback		475
Rea	ar seats folded, up to roof	1,636
DIN	MENSIONS (MM)	
Α	Wheelbase	2,673
В	Overall length	4,315
С	Front overhang	822
D	Rear overhang	820
E	Front track	1,559
F	Rear track	1,560
G	Overall width without/with door mirrors	1,822 / 2,00
Н	Unladen height/with roof bars	1,634 / 1,69
K	Ground clearance (unladen)	205
L	Rear knee room	183
М	Front elbow width	1,411
М1	Rear elbow room	1,438
N	Front shoulder width	1,387
N1	Rear shoulder width	1,400
P1	Distance between hip joint and ceiling in front seats	906
P2	Distance between hip joint and ceiling in rear seats	895
Y2	Interior width between wheel arches	1,002
Z 1	Loading length, rear seat in place	992
Z2	Loading length with rear seats folded	1,760
1	Approach angle	30°
2	Ramp breakover angle	24°
3	Departure angle	36°

Dimensions







Every precaution has been taken to ensure that this publication is accurate and up to date on the date it is printed. This document has been created on the basis of pilot lots and prototypes. In line with its policy of continuous product improvement, Renault reserves the right to modify the specifications, vehicles and accessories described and shown at any time. Such modifications shall be communicated to Renault dealers as quickly as possible. According to the country of sale, certain versions may differ and certain equipment may be unavailable (as standard, on option or as an accessory). Please contact your nearest dealer for the latest information. For printing reasons, the colours that appear in this document may differ slightly from the actual paint and upholstery colours. All rights reserved. The reproduction in any format and by any me ans of all or part of this publication, without prior written authorisation from Renault, is prohibited.

Renault recommands

Prodigious Photo crédits: @ Renault Marketing 3D-Commerce, Curtet - April 2016.

Renault s.a.s. Société par actions simplifiée au capital de 533941113,00€ / 13-15 quai Le Gallo – 92100 Boulogne-Billancourt Cedex – R.C.S. Nanterre B 780 129 987 / tél.: 0810 40 50 60.